

**Amendments to the Claims:**

The following listing of claims will replace all prior versions, and listings, of claims in the application:

1-8. (Canceled)

9. (Currently Amended) A member for use in a copying device comprising at least a substrate and thereon a surface layer comprised of a polyetherimide-b-polysiloxane block copolymer comprising etherimide blocks and siloxane blocks, wherein said copolymer contains more than 50% by weight of said siloxane blocks,


wherein said member is selected from the group consisting of a ~~fixing member~~, a transfix member, and a transfuse member, and

wherein said copying device is ~~selected from the group consisting of an electrostatographic imaging system and a ballistic aerosol marking printing system.~~


10. (Canceled)

11. (Original) The member according to claim 9, wherein said copolymer contains halogen species in an amount of at least 5% by weight.


12. (Original) The member according to claim 9, wherein said etherimide blocks are represented by the following formula:




wherein T represents a divalent moiety selected from the group consisting of -O- and -O-Z-O-; Z is a divalent radical selected from the group consisting of:




wherein X is a member selected from the group consisting of the following divalent radicals:



wherein y is an integer from 1 to about 5, and q is 0 or 1; R is a divalent organic radical selected from the group consisting of: (a) aromatic hydrocarbon radicals having from 6 to about 20 carbon atoms and halogenated derivatives thereof, (b) alkylene radicals having from 2 to about 20 carbon atoms, (c) cycloalkylene radicals having from 3 to about 20 carbon atoms, and (d) divalent radicals of the general formula:




where Q is a member selected from the group consisting of:



where y' is an integer from about 1 to about 5.


13. (Original) The member according to claim 9, wherein the siloxane blocks are represented by the following formula:




wherein:  $\text{R}_1$ ,  $\text{R}_2$ ,  $\text{R}_3$  and  $\text{R}_4$  are each independently  $(\text{C}_1\text{--C}_6)\text{alkyl}$ ,  $a$  and  $c$  are each independently integers from 1 to 10, and  $b$  is an integer from 1 to about 400.

14. (Original) The member according to claim 9, wherein said etherimide segments are made by reacting an aromatic bis(ether anhydride) with an organic diamine.


15. (Original) The member according to claim 14, wherein said aromatic bis(ether anhydride) is represented by:



wherein  $T$  represents a divalent moiety selected from the group consisting of  $\text{--O--}$  and  $\text{--O--Z--O--}$ ;  $Z$  is a divalent radical selected from the group consisting of:




wherein X is a member selected from the group consisting of the following divalent radicals:



wherein y is an integer from 1 to about 5, and q is 0 or 1;


16. (Original) The member according to claim 14, wherein said aromatic bis(ether anhydride) is selected from the group consisting of 2,2-bis(4-(3,4-dicarboxyphenoxy)phenyl)propane dianhydride; 4,4'-bis(3,4-dicarboxyphenoxy)diphenyl ether dianhydride; 4,4'-bis(3,4-dicarboxyphenoxy)diphenyl sulfide dianhydride; 4,4'-bis(3,4-dicarboxyphenoxy)benzophenone dianhydride; 4,4'-bis(3,4-dicarboxyphenoxy)diphenyl sulfone dianhydride; 2,2-bis((4-(2,3-dicarboxyphenoxy) phenyl)propane dianhydride; 4,4'-bis(2,3-dicarboxyphenoxy)diphenyl ether dianhydride; 4,4'-bis(2,3-dicarboxyphenoxy)diphenyl sulfide dianhydride; 4,4'-bis(2,3-dicarboxyphenoxy)benzophenone dianhydride; 4,4'-bis(2,3-dicarboxyphenoxy)diphenyl sulfone dianhydride; 4-(2,3-dicarboxyphenoxy)-4'-(3,4-dicarboxyphenoxy)diphenyl-2,2-propane dianhydride; 4-(2,3-dicarboxyphenoxy)-4'-(3,4-dicarboxyphenoxy)diphenyl ether dianhydride; 4-(2,3-dicarboxyphenoxy)-4'-(3,4-dicarboxyphenoxy)diphenyl sulfide dianhydride; 4-(2,3-dicarboxyphenoxy)-4'-(3,4-dicarboxyphenoxy)benzophenone dianhydride and 4-(2,3-dicarboxyphenoxy)-4'-(3,4-dicarboxyphenoxy)diphenyl sulfone dianhydride, and mixtures thereof.

17. (Original) The member according to claim 14, wherein said organic diamine is represented by:




wherein R is a divalent organic radical selected from the group consisting of: (a) aromatic hydrocarbon radicals having from 6 to about 20 carbon atoms and halogenated derivatives

thereof, (b) alkylene radicals having from 2 to about 20 carbon atoms, (c) cycloalkylene radicals having from 3 to about 20 carbon atoms, and (d) divalent radicals of the general formula:



where Q is a member selected from the group consisting of formulae:



where  $y'$  is an integer from about 1 to about 5.

18. (Original) The member according to claim 14, wherein said organic diamine is selected from the group consisting of m-phenylenediamine; p-phenylenediamine; 4,4'-diaminodiphenylpropane, 4,4'-diaminodiphenylmethane; 4,4'-diaminodiphenyl sulfide; 4,4'-diaminodiphenyl sulfone; 4,4'-diaminodiphenyl ether; 1,5-diaminonaphthalene; 3,3-dimethylbenzidine; 3,3-dimethoxybenzidine; 2,4-bis(beta-amino-t-butyl)toluene; bis(p-beta-amino-t-butylphenyl)ether; bis(p-beta-methyl-o-aminophenyl)benzene; 1,3-diamino-4-isopropylbenzene; 1,2-bis(3-aminopropoxy)ethane; benzidine; m-xylylenediamine; 2,4-diaminotoluene; 2,6-diaminotoluene; bis(4-aminocyclohexyl)methane; 3-methylheptamethylenediamine; 4,4-dimethylheptamethylenediamine; 2,11-dodecanediamine; 2,2-dimethylpropylenediamine; 1,18-octamethylenediamine; 3-methoxyhexamethylenediamine; 2,5-dimethylhexamethylenediamine; 2,5-dimethylheptamethylenediamine; 3-methylheptamethylenediamine; 5-methylnonamethylenediamine; 1-4-cyclohexanediamine; 1,18-octadecanediamine; bis(3-

aminopropyl)sulfide; N-methyl-bis(3-aminopropyl)amine; hexamethylenediamine; heptamethylenediamine; nonamethylenediamine; decamethylenediamine, and mixtures thereof.

19. (Canceled)

20. (Canceled)

21. (Original) The member according to claim 9, wherein the substrate is a metal, plastic or fabric.

22. (Original) The member according to claim 9, wherein the member has a film, belt, plate or roll configuration.

23. (Original) The member according to claim 9, wherein the member further comprises one or more intermediate layers between the substrate and the surface layer.

24. (Original) The member according to claim 9, wherein the surface layer further contains one or more additives selected from the group consisting of electrically conductive fillers, thermally conductive fillers, thermal stabilizing agents, coloring agents, reinforcing fillers and processing aids.

25. (Original) A device containing the member according to claim 9, wherein the device is a xerographic device, a printer or a direct marking device.